


## Model and Meanings



Company Code	Design Code	Installation Dia.mm	Material	Front Shape & Housing	Colour	Connection Type
AD22	C	6: Ø6	N: Brass Plated Ni	B: Ball	1: White	S: Screw Type
		8: Ø8	S: Stainless Steel	A: Flat	3: Green	C: Solder / Quick connection
		10: Ø10	B: Brass Plated Black		4: Red	L: with Cable
		12: Ø12			5: Yellow	
		16: Ø16			6: Blue	
		19: Ø19			7: Transparent	
		22: Ø22			8: Orange	

## Main Technical Parameter



Lamp Type	LED lamp (AC/DC)
Rated Voltage (V)	6V, 12V, 24V, 110V, 220V
Rated Current (mA)	About 15mA
LED Colour	Red, Green, Yellow, Blue, White, Orange
Operating Temperature	-20 °C - +55 °C
Lamp Life	40000 hours (Reference)
IP Degree	IP65
Lamp Circuit Diagram	

## Technical Specification



LED Voltage	Operation Voltage (Min. to Max.)	Operation Current (mA)
6VDC (without Resistor)	5.3 – 7.5V DC	20mA
12VDC	10.8 – 13.2V DC	20mA
24VDC	21.6 – 26.4V DC	20mA
110V AC	99 – 121V AC	6mA
220V AC	207 – 253V AC	3mA

# XDL17

## Push Button Switch



www.xindali.com

### Model and Meanings



Company Code	Design Code	Installation Dia.mm	Material	Front Shape & Housing	Operation Type & Function	Colour	Contact Type	Connection Type
XDL	17	12: Ø12	N: Brass Plated Ni	B: Ball	2: Two Pos. Stay Put	1: White	1: 1NO	S: Screw Type
		16: Ø16	S: Stainless Steel	A: Flat	3: Three pos. Stay Put	3: Green	2: 1NC	C: Solder / Quick connection
		19: Ø19	B: Brass Plated Black	L: Convex	Z: Maintained	4: Red	5: 1NO1NC	L: with Cable
		22: Ø22		D: Knob	No Letter: Spring Return	5: Yellow	9: 2NO2NC	
		25: Ø25		K: Knob with Lamp	E: Button with Ring Lamp	6: Blue		
				G: Key	EP: Button with Power Lamp	7: Transparent		
				S: E-Stop		8: Orange		
						9: Metal		

### Main Technical Parameter



Rated Voltage (V) Ue	220V	
Rated Current (A) Ie	3A (220V), 5A (110V)	
Insulation Voltage (V) Ui	250V AC	
Insulation Intensity (V)	2000V AC	
Conventional free air thermal current (A) Ith	5A	
Insulation Resistance	≥1000MΩ	
Contact Resistance	≤50mΩ	
Operating Temperature	-20 °C - +55 °C	
Mechanical Life	≥1,000,000 times	
Electrical Life	≥200,000 times	
Panel Thickness	1 – 10mm	
Nut Torque	5 – 14Nm	
IP Degree	IP65	
Material	Contact	Silver Plated
	Button	Stainless Steel / Brass Plated Ni
	Body	Stainless Steel / Brass Plated Ni
	Base	PBT
LED Spec.	Lamp Type	LED
	Voltage Available	6V, 12V, 24V, 110V, 220V
	Lamp Colour	Red, Green, Yellow, Blue, White, Orange
	Lamp Life	4000 hours

## Indicator

## Voltage

## Color


## Contour



AD22C-6B/L

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-8B/L

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-10B/L

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-12B/L

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC

- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



# AD22C Indicator

www.xindali.com




Indicator	Voltage	Color	Contour
-----------	---------	-------	---------



AD22C-12A/S

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-16A/S

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC  
127V AC  
220V AC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-19A/S

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC


- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



AD22C-22A/S

24V AC/DC  
36V AC/DC  
48V AC/DC  
110V AC/DC  
127V AC/DC  
220V AC/DC

- Red
- Green
- Yellow
- Pure Blue
- Orange
- White



XDL17  
PUSH BUTTON  
SWITCH



# XDL17 Push Button Switch

www.xindali.com

XDL17  
PUSH BUTTON  
SWITCH


Push button	Description	Contact	Color	Type	Contour
-------------	-------------	---------	-------	------	---------



Φ12mm ball type  
push button  
Momentary

N/O

- Red XDL17-12BB41/S
- Green XDL17-12BB31/S
- Yellow XDL17-12BB51/S
- Pure Blue XDL17-12BB61/S
- Orange XDL17-12BB81/S
- White XDL17-12BB11/S




XDL17-12BB41/S



Φ12mm ball type  
push button  
Momentary

N/O

- Red XDL17-12NB41/S
- Green XDL17-12NB31/S
- Yellow XDL17-12NB51/S
- Pure Blue XDL17-12NB61/S
- Orange XDL17-12NB81/S
- White XDL17-12NB11/S
- Metal XDL17-12NB91/S




XDL17-12NB91/C



Φ12mm flat type  
push button  
Momentary

N/O

- Metal XDL17-12NA91/S




XDL17-12NA91/C



Φ12mm  
push button  
Momentary  
convex type

N/O

- Metal XDL17-12NL91/S











XDL17-12NL91/C

# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
	Φ16mm flat type push button Momentary	N/O	Metal	XDL17-16NB91/S	
	Φ16mm push button convex type Momentary	N/O	Metal	XDL17-16NL91/S	
	Φ16mm flat type push button Momentary	N/O+N/C	Metal	XDL17-16NAL95/C	
	Φ16mm push button convex type Momentary	N/O+N/C	Metal	XDL17-16NLL95/C	

XDL17  
PUSH BUTTON  
SWITCH













# XDL17 Push Button Switch

www.xindali.com

































XDL17  
PUSH BUTTON  
SWITCH

Push button	Description	Contact	Color	Type	Contour
	Momentary		<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NAE45/C</li> <li>XDL17-16NAE35/C</li> <li>XDL17-16NAE55/C</li> </ul>	
	Φ16mm flat type push button with ring lamp  Stay put	12V 24V 110~130V 220~240V  N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NAEZ65/C</li> <li>XDL17-16NAEZ85/C</li> <li>XDL17-16NAEZ15/C</li> </ul>	
<b>XDL17-16NAE55/C</b>					
	Momentary		<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NLE45/C</li> <li>XDL17-16NLE35/C</li> <li>XDL17-16NLE55/C</li> </ul>	
	Φ16mm convex type push button with ring lamp  Stay put	12V 24V 110~130V 220~240V  N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NLEZ65/C</li> <li>XDL17-16NLEZ85/C</li> <li>XDL17-16NLEZ15/C</li> </ul>	
<b>XDL17-16NLE55/C</b>					
	Momentary		<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NAEP45/C</li> <li>XDL17-16NAEP35/C</li> <li>XDL17-16NAEP55/C</li> </ul>	
	Φ16mm flat type push button with power lamp  Stay put	12V 24V 110~130V 220~240V  N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NAEPZ65/C</li> <li>XDL17-16NAEPZ85/C</li> <li>XDL17-16NAEPZ15/C</li> </ul>	
<b>XDL17-16NAEP15/C</b>					
	Momentary		<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NLEP45/C</li> <li>XDL17-16NLEP35/C</li> <li>XDL17-16NLEP55/C</li> </ul>	
	Φ16mm convex type push button with power lamp  Stay put	12V 24V 110~130V 220~240V  N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-16NLEPZ65/C</li> <li>XDL17-16NLEPZ85/C</li> <li>XDL17-16NLEPZ15/C</li> </ul>	
<b>XDL17-16NLEP15/C</b>					

# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
 <p><b>XDL17-16BAE15/C</b></p>	<p>Φ16mm flat type push button Momentary with ring lamp</p>	<p>12V 24V 110~130V 220~240V N/O+N/C</p>	 Red	XDL17-16BAE45/C	
			 Green	XDL17-16BAE35/C	
			 Yellow	XDL17-16BAE55/C	
			 Pure Blue	XDL17-16BAE65/C	
			 Orange	XDL17-16BAE85/C	
			 White	XDL17-16BAE15/C	
 <p><b>XDL17-16BAEZ15/C</b></p>	<p>Φ16mm flat type push button Momentary with ring lamp</p>	<p>12V 24V 110~130V 220~240V N/O+N/C</p>	 Red	XDL17-16BAEZ45/C	
			 Green	XDL17-16BAEZ35/C	
			 Yellow	XDL17-16BAEZ55/C	
			 Pure Blue	XDL17-16BAEZ65/C	
			 Orange	XDL17-16BAEZ85/C	
			 White	XDL17-16BAEZ15/C	
 <p><b>XDL17-16BAEP15/C</b></p>	<p>Φ16mm flat type push button Momentary with power lamp</p>	<p>12V 24V 110~130V 220~240V N/O+N/C</p>	 Red	XDL17-16BAEP45/C	
			 Green	XDL17-16BAEP35/C	
			 Yellow	XDL17-16BAEP55/C	
			 Pure Blue	XDL17-16BAEP65/C	
			 Orange	XDL17-16BAEP85/C	
			 White	XDL17-16BAEP15/C	
 <p><b>XDL17-16BAEPZ15/C</b></p>	<p>Φ16mm flat type push button Momentary with power lamp</p>	<p>12V 24V 110~130V 220~240V N/O+N/C</p>	 Red	XDL17-16BAEPZ45/C	
			 Green	XDL17-16BAEPZ35/C	
			 Yellow	XDL17-16BAEPZ55/C	
			 Pure Blue	XDL17-16BAEPZ65/C	
			 Orange	XDL17-16BAEPZ85/C	
			 White	XDL17-16BAEPZ15/C	

XDL17  
PUSH BUTTON  
SWITCH





# XDL17 Push Button Switch

www.xindali.com

**Push button**    **Description**    **Contact**    **Color**    **Type**    **Contour**




Φ16mm  
mushroom head  
Emergency push  
button  
  
Turn to release

N/O+N/C

● Red

XDL17-16NS45/C



XDL17-16NS45/C




2 position  
Stay put  
  
Φ16mm  
standard handle  
  
push button  
3 position  
Stay put

N/O+N/C

● Metal

XDL17-16ND25/C

XDL17-16ND35/C



XDL17-16ND25/C



2 position  
Stay put  
  
Φ16mm LED  
standard handle  
push button

N/O+N/C

● Red  
● Green  
● Yellow

XDL17-16NK2465/C

XDL17-16NK2365/C

XDL17-16NK2565/C

12V  
24V  
110~130V  
220~240V

● Pure Blue  
● Orange  
○ White


XDL17-16NK3665/C

XDL17-16NK3865/C

XDL17-16NK3165/C

3 position  
Stay put

N/O+N/C



XDL17-16NK2465/C



2 position  
Stay put  
  
Φ16mm key  
push button


N/O+N/C

● Metal

XDL17-16NG25/C

XDL17-16NG35/C

3 position  
Stay put











XDL17-16NG25/C

# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
	Φ19mm flat type push button Momentary	N/O	Metal	XDL17-19NA91/S	
<b>XDL17-19NA91/S</b>					
	Φ19mm push button convex type Momentary	N/O	Metal	XDL17-19NAL91/S	
<b>XDL17-19NAL91/S</b>					
	Φ19mm flat type push button Momentary	N/O+N/C	Metal	XDL17-19NAL95/C	
<b>XDL17-19NAL95/C</b>					
	Φ19mm push button convex type Momentary	N/O+N/C	Metal	XDL17-19NLL95/C	
<b>XDL17-19NLL95/C</b>					

XDL17  
PUSH BUTTON  
SWITCH



# XDL17 Push Button Switch

www.xindali.com

Push button	Description	Contact	Color	Type	Contour
-------------	-------------	---------	-------	------	---------




XDL17-19NAE15/C

Momentary  
Φ19mm flat type  
push button  
with ring lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C

Stay put

- Red XDL17-19NAE45/C
- Green XDL17-19NAE35/C
- Yellow XDL17-19NAE55/C
- Pure Blue XDL17-19NAEZ65/C
- Orange XDL17-19NAEZ85/C
- White XDL17-19NAEZ15/C




XDL17-19NLE15/C

Momentary  
Φ19mm  
push button  
with ring lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C

Stay put

- Red XDL17-19NLE45/C
- Green XDL17-19NLE35/C
- Yellow XDL17-19NLE55/C
- Pure Blue XDL17-19NLEZ65/C
- Orange XDL17-19NLEZ85/C
- White XDL17-19NLEZ15/C




XDL17-19NAEP15/C

Momentary  
Φ19mm flat type  
push button  
with power lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C

Stay put

- Red XDL17-19NAEP45/C
- Green XDL17-19NAEP35/C
- Yellow XDL17-19NAEP55/C
- Pure Blue XDL17-19NAEPZ65/C
- Orange XDL17-19NAEPZ85/C
- White XDL17-19NAEPZ15/C




XDL17-19NLEP15/C

Momentary  
Φ19mm  
push button  
with power lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C

Stay put









- Red XDL17-19NLEP45/C
- Green XDL17-19NLEP35/C
- Yellow XDL17-19NLEP55/C
- Pure Blue XDL17-19NLEPZ65/C
- Orange XDL17-19NLEPZ85/C
- White XDL17-19NLEPZ15/C



# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
	Φ19mm flat type push button Momentary with ring lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	XDL17-19BAE45/C XDL17-19BAE35/C XDL17-19BAE55/C XDL17-19BAE65/C XDL17-19BAE85/C XDL17-19BAE15/C	
<b>XDL17-19BAE15/C</b>					
	Φ19mm flat type push button Momentary with ring lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	XDL17-19BAEZ45/C XDL17-19BAEZ35/C XDL17-19BAEZ55/C XDL17-19BAEZ65/C XDL17-19BAEZ85/C XDL17-19BAEZ15/C	
<b>XDL17-19BAEZ15/C</b>					
	Φ19mm flat type push button Momentary with power lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	XDL17-19BAEP45/C XDL17-19BAEP35/C XDL17-19BAEP55/C XDL17-19BAEP65/C XDL17-19BAEP85/C XDL17-19BAEP15/C	
<b>XDL17-19BAEP15/C</b>					
	Φ19mm flat type push button Momentary with power lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	XDL17-22BAEPZ45/C XDL17-22BAEPZ35/C XDL17-22BAEPZ55/C XDL17-19BAEPZ65/C XDL17-19BAEPZ85/C XDL17-19BAEPZ15/C	
<b>XDL17-19BAEPZ15/C</b>					

XDL17  
PUSH BUTTON  
SWITCH



# XDL17 Push Button Switch

www.xindali.com

**Push button**    **Description**    **Contact**    **Color**    **Type**    **Contour**




Φ19mm  
mushroom head  
Emergency push  
button  
Turn to release

N/O+N/C

● Red

XDL17-19NS45/C



XDL17-19NS45/C



2 position  
Stay put

Φ19mm  
standard handle  
push button


N/O+N/C

● Metal

XDL17-19ND25/C

3 position  
Stay put

XDL17-19ND35/C



XDL17-19ND25/C



2 position  
Stay put

Φ19mm LED  
standard handle  
push button

12V  
24V  
110~130V  
220~240V

N/O+N/C

● Red

● Green

● Yellow

● Pure Blue

● Orange

○ White

XDL17-19NK2465/C


XDL17-19NK2365/C

XDL17-19NK2565/C

XDL17-19NK3665/C

XDL17-19NK3865/C

XDL17-19NK3165/C



XDL17-19NK2465/C



2 position  
Stay put

Φ19mm key  
push button


N/O+N/C

● Metal

XDL17-19NG25/C

3 position  
Stay put

XDL17-19NG35/C











XDL17-19NG25/C



# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
	Φ22mm flat type push button Momentary	N/O	Metal	XDL17-22NA91/S	
<b>XDL17-22NA91/S</b>					
	Φ22mm push button Momentary	N/O	Metal	XDL17-22NAL91/S	
<b>XDL17-22NAL91/S</b>					
	Φ22mm flat type push button Momentary	N/O+N/C	Metal	XDL17-22NAL95/C	
<b>XDL17-22NAL95/C</b>					
	Φ22mm push button Momentary	N/O+N/C	Metal	XDL17-22NLL95/C	
<b>XDL17-22NLL95/C</b>					

XDL17  
PUSH BUTTON  
SWITCH





# XDL17 Push Button Switch

www.xindali.com


Push button	Description	Contact	Color	Type	Contour
-------------	-------------	---------	-------	------	---------



XDL17-22NAE15/C

Momentary  
Φ22mm flat type push button with ring lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C  
Stay put


- Red XDL17-22NAE45/C
- Green XDL17-22NAE35/C
- Yellow XDL17-22NAE55/C
- Pure Blue XDL17-22NAEZ65/C
- Orange XDL17-22NAEZ85/C
- White XDL17-22NAEZ15/C



XDL17-22NLE15/C

Momentary  
Φ22mm push button with ring lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C  
Stay put


- Red XDL17-22NLE45/C
- Green XDL17-22NLE35/C
- Yellow XDL17-22NLE55/C
- Pure Blue XDL17-22NLEZ65/C
- Orange XDL17-22NLEZ85/C
- White XDL17-22NLEZ15/C



XDL17-22NAEP15/C

Momentary  
Φ22mm flat type push button with power lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C  
Stay put


- Red XDL17-22NAEP45/C
- Green XDL17-22NAEP35/C
- Yellow XDL17-22NAEP55/C
- Pure Blue XDL17-22NAEPZ65/C
- Orange XDL17-22NAEPZ85/C
- White XDL17-22NAEPZ15/C



XDL17-22NLEP15/C

Momentary  
Φ22mm push button with power lamp  
12V  
24V  
110~130V  
220~240V  
N/O+N/C  
Stay put









- Red XDL17-22NLEP45/C
- Green XDL17-22NLEP35/C
- Yellow XDL17-22NLEP55/C
- Pure Blue XDL17-22NLEPZ65/C
- Orange XDL17-22NLEPZ85/C
- White XDL17-22NLEPZ15/C



# XDL17 Push Button Switch



www.xindali.com

Push button	Description	Contact	Color	Type	Contour
	Φ22mm flat type push button Momentary with ring lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-22BAE45/C</li> <li>XDL17-22BAE35/C</li> <li>XDL17-22BAE55/C</li> <li>XDL17-22BAE65/C</li> <li>XDL17-22BAE85/C</li> <li>XDL17-22BAE15/C</li> </ul>	
<b>XDL17-22BAE15/C</b>					
	Φ22mm flat type push button Momentary with ring lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-22BAEZ45/C</li> <li>XDL17-22BAEZ35/C</li> <li>XDL17-22BAEZ55/C</li> <li>XDL17-22BAEZ65/C</li> <li>XDL17-22BAEZ85/C</li> <li>XDL17-22BAEZ15/C</li> </ul>	
<b>XDL17-22BAEZ15/C</b>					
	Φ22mm flat type push button Momentary with power lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-22BAEP45/C</li> <li>XDL17-22BAEP35/C</li> <li>XDL17-22BAEP55/C</li> <li>XDL17-22BAEP65/C</li> <li>XDL17-22BAEP85/C</li> <li>XDL17-22BAEP15/C</li> </ul>	
<b>XDL17-22BAEP15/C</b>					
	Φ22mm flat type push button Momentary with power lamp	12V 24V 110~130V 220~240V N/O+N/C	<ul style="list-style-type: none"> <li><span style="color: red;">●</span> Red</li> <li><span style="color: green;">●</span> Green</li> <li><span style="color: yellow;">●</span> Yellow</li> <li><span style="color: blue;">●</span> Pure Blue</li> <li><span style="color: orange;">●</span> Orange</li> <li><span style="color: white;">○</span> White</li> </ul>	<ul style="list-style-type: none"> <li>XDL17-22BAEPZ45/C</li> <li>XDL17-22BAEPZ35/C</li> <li>XDL17-22BAEPZ55/C</li> <li>XDL17-22BAEPZ65/C</li> <li>XDL17-22BAEPZ85/C</li> <li>XDL17-22BAEPZ15/C</li> </ul>	
<b>XDL17-22BAEPZ15/C</b>					


















XDL17  
PUSH BUTTON  
SWITCH



# XDL17 Push Button Switch

www.xindali.com

XDL17  
PUSH BUTTON  
SWITCH

Push button	Description	Contact	Color	Type	Contour
	Φ22mm mushroom head Emergency push button  Turn to release	N/O+N/C	 Red	XDL17-22NS45/C	
	2 position Stay put  Φ22mm standard handle push button  3 position Stay put	N/O+N/C	 Metal	XDL17-22ND25/C  XDL17-22ND35/C	
	2 position Stay put  Φ22mm LED standard handle push button  3 position Stay put	12V 24V 110~130V 220~240V N/O+N/C	 Red  Green  Yellow   Pure Blue  Orange  White	XDL17-22NK2465/C XDL17-22NK2365/C XDL17-22NK2565/C  XDL17-22NK3665/C XDL17-22NK3865/C XDL17-22NK3165/C	
	2 position Stay put  Φ22mm key push button  3 position Stay put	N/O+N/C	 Metal	XDL17-22NG25/C  XDL17-22NG35/C	

# XDL17 Push Button Switch

www.xindali.com





## Push button



## Contour





XDL17-16/L



XDL17-19/L



XDL17-22/L



XDL17  
PUSH BUTTON  
SWITCH